


# COVID-19: New testing and isolation protocols in a high caseload environment



## I have tested positive for COVID-19

With COVID-19 in the community, it is important for you to know what to do to keep yourself and others safe. This protocol will help you know when and how long you need to isolate for if you are COVID-19 positive.



### Symptoms include:



Fever



Sore/scratchy throat



Runny nose



Fatigue



Shortness of breath



Dry cough

# COVID-19: New testing and isolation protocols in a high caseload environment



## I am a close contact and have no symptoms

With COVID-19 in the community, it is important for you to know what to do to keep yourself and others safe. This protocol will help you know what to do if you are a close contact but have no symptoms.

Isolate for  
7 days from  
date of  
contact.



Monitor for  
symptoms.




### Symptoms

Refer to 'I am not a  
close contact and I have  
symptoms' protocol.



**No symptoms**  
Take a RAT  
on day 7.



### Test positive

Refer to the 'I have  
tested positive to  
COVID-19' protocol.



### Test negative

You can leave your  
home after day  
7 of isolation,  
providing there  
are no new  
cases in your  
household.



### Symptoms include:



Fever



Runny nose



Fatigue



Sore/scratchy throat



Dry cough



Shortness of breath

If someone  
in your  
household  
tests positive,  
isolate for 7  
days (start this  
process again).



# COVID-19: New testing and isolation protocols in a very high caseload environment



## I am a close contact and a critical worker

With COVID-19 in the community, it is important for you to know what to do to keep yourself and others safe. This protocol is for critical workers who are close contacts of someone who tests positive for COVID-19.

### Contact your employer

You may be exempt from isolation requirements in order to attend work but only if it is necessary for continuity of critical operations, and other options have been exhausted.




### Symptoms

Refer to 'I am a close contact who develops symptoms' protocol.



### No symptoms

To go to work, you must take a RAT every day for 7 days.



### Test positive

Refer to the 'I have tested positive to COVID-19' protocol.



### If you test negative and you are going to work:

- you must isolate outside of work for 7 days
- wear a surgical mask outside home
- follow workplace safety requirements
- if possible, travel alone to work
- if not possible, wear a mask while car-pooling or using public transport



### Symptoms include:



Fever



Runny nose



Fatigue



Sore/scratchy throat



Dry cough



Shortness of breath

# COVID-19: New testing and isolation protocols in a high caseload environment




## I am a close contact who develops symptoms

With COVID-19 in the community, it is important for you to know what to do to keep yourself and others safe. This protocol will help you if you have symptoms and are a symptomatic close contact of someone who has tested positive for COVID-19.

Isolate for  
7 days from  
date of  
contact.



Take a PCR  
or RAT as  
soon as  
symptoms  
develop.



### Test positive

Refer to the 'I have  
tested positive to  
COVID-19' protocol.



### Test negative

**PCR:** you may leave  
home after day 7  
**RAT:** Continue  
to isolate and  
take a RAT again  
in 24 hours.



### Test negative

Refer to the 'I am a  
close contact and have  
no symptoms' protocol.



### Test negative

You can leave your  
home after day  
7 of isolation,  
providing there  
are no new  
cases in your  
household.



### Symptoms include:



Fever



Sore/scratchy throat



Runny nose



Fatigue



Shortness of breath



Dry cough

# COVID-19: New testing and isolation protocols in a high caseload environment



## I am not a close contact and I have symptoms

With COVID-19 in the community, it is important for you to know what to do to keep yourself and others safe. This protocol will help you know what to do if you have symptoms.

Get a PCR test if you can. This is the preferred option. Isolate until the results come back.



If you can't get a PCR test, get a RAT immediately.



If your PCR test is negative, you are not required to isolate. But you should stay home where possible, until your symptoms clear.



**Test negative**  
Continue to isolate and repeat the RAT in 24 hours.



If second RAT is negative you are not required to isolate. But you should stay home where possible, until your symptoms clear.



### Test positive

Refer to the 'I have tested positive to COVID-19' protocol.



### Symptoms include:



Fever



Sore/scratchy throat



Runny nose



Fatigue



Shortness of breath



Dry cough